


ABLOY® DC215/ ABLOY® DC405 DOOR CLOSERS WITH STANDARD ARM



ABLOY® DC215/DC405 DOOR CLOSERS



Light but still strong enough closer for internal doors with standard arm.

ABLOY® DC215







Applications:

Interior and exterior doors with a maximum recommended weight of 80 kg and a maximum door leaf width of 1100 mm.

Features:


- Closing force according to EN1154 2, 3 or 4
- CE-certified: Can be used in fire doors
- Maximum opening angle 180°
- Adjustable closing and latching speed
- Non-handed, can be installed either on door frame or door leaf
- Arm included to the package, no other arms available
- Cast aluminium body
- Three colours: silver, white and brown
- Dimensions: width 236 mm, height 52 mm, depth 56 mm

Dimensions




Installation

Opening side



Closing side



Strong, heavy duty door closer for external and internal doors. ABLOY® DC405 meets the exacting performance requirements of EN1154 and ANSI1156.4 standards (2 million cycles). Ideal for applications involving disabled users.

ABLOY® DC405





Applications:

Interior and exterior doors with a maximum recommended weight of 100 kg and a maximum door leaf width of 1250 mm.



Features:

- Adjustable class EN1-5 closing force according to EN1154
- CE-certified: Can be used in fire doors
- Maximum opening angle 180°
- Adjustable closing and latching speed
- Adjustable closing force
- Back check (BC) as a standard
- Installation on door frame or door leaf
- Die casted aluminium body manufactured from high-performance silicon alloy
- Two pressure relief valves are standard feature to protect against abuse
- High efficiency 70-80%
- Arm included to the package, no other arms available.
- Two colours: Silver and white
- Width 306, height 69 mm, depth 63 mm.


Installation




Dimensions max 15 mm



Support brackets



ABLOY® DC106



ABLOY® DC107

ABLOY® – the sign for security



The quality and environmental systems used by Abloy Oy guarantee that customers can be certain of **ABLOY®** quality in every field. We received our first Quality System Certificate - SFS-EN ISO 9001 - in 1989. Just eight years later, Abloy Oy was one of the first companies in Finland to be granted an SFS-EN-ISO 14001 Environmental System Certificate.

Our products are designed and manufactured not only to provide high levels of security, but also to be reliable, user-friendly and aesthetically pleasing. **ABLOY®** is your sign for security.



ABLOY® is a registered trademark of Abloy Oy, one of the leading manufacturers of locks, locking systems and architectural hardware and the world's leading developer of products in the field of electromechanical lock technology.

The unique **ABLOY®** detainer disc cylinder mechanism has several advantages over conventional locking mechanisms. Ever since its invention in 1907, it has been a symbol of high security and superior performance.

Our range consists of electromechanical locks, cam locks, padlocks, office furniture locks, rim locks, lock cases, cylinders for different types of mortice locks, door closers, door automatics and architectural hardware. **ABLOY®** locking solutions for every application are available from our world-wide network of distributors.

Customer-oriented development, combined with our long experience and extensive security expertise, mean that **ABLOY®** security solutions employ the very latest technology to meet your needs.



www.abloy.com

Abloy Oy
Wahlforssinkatu 20
P.O. Box 108
FI-80101 JOENSUU
FINLAND
Tel. +358 20 599 2501
Fax +358 20 599 2209

